

| Genre | Espèce | Variété |
|-------------------|------------------------|------------------|
| AGARICUS | AUGUSTUS | |
| AGARICUS | CAMPESTRIS | |
| AGARICUS | LANGEI | |
| AGROCYBE | CYLINDRACEA | |
| ALEURIA | AURANTIA | |
| AMANITA | CITRINA | |
| AMANITA | CROCEA | |
| AMANITA | FULVA | |
| AMANITA | JUNQUILLEA | |
| AMANITA | MUSCARIA | |
| AMANITA | RUBESCENS | |
| AMANITA | SPISSA | |
| AMANITA | SUBMEMBRANACEA | |
| ARMILLARIA | OSTOYAE | |
| BANKERA | VIOLASCENS | |
| BOLETOPSIS | LEUCOMELAENA | |
| BOLETUS | CALOPUS | |
| BOLETUS | EDULIS | |
| BOLETUS | ERYTHROPUS | |
| CALOCERA | VISCOSA | |
| CALVATIA | EXCIPULIFORMIS | |
| CALVATIA | UTRIFORMIS | |
| CANTHARELLUS | CIBARIUS | |
| CANTHARELLUS | CIBARIUS | Var. AMETHYSTEUS |
| CANTHARELLUS | TUBIFORMIS | |
| CHALCIPORUS | PIPERATUS | |
| CLAVULINA | CINEREA | |
| CLAVULINA | CRISTATA | |
| CLITOCYBE | CLAVIPES | |
| CLITOCYBE | DITOPA | |
| CLITOCYBE | GIBBA | |
| CLITOCYBE | NEBULARIS | |
| CLITOCYBE | ODORA | |
| CLITOCYBE | PHYLLOPHILA | |
| CLITOPILUS | PRUNULUS | |
| COLLYBIA | BUTYRACEA | |
| COLLYBIA | CONFLUENS | |
| COLLYBIA | DISTORTA | |
| COLLYBIA | DRYOPHILA | |
| COLLYBIA | FUSIPES | |
| COLLYBIA | MACULATA | |
| COLTRICIA | PERENNIS | |
| CORDYCEPS | OPHIOGLOSSOIDES | |
| CORTINARIUS | BRUNNEUS | |
| CORTINARIUS | CAMPHORATUS | |
| CORTINARIUS | CLARICOLOR | |
| CORTINARIUS | COLLINITUS | |
| CORTINARIUS | EVERNIUS | |
| CORTINARIUS | LIVIDOVIOLOACEUS | |
| CORTINARIUS | ORELLANUS | |
| CORTINARIUS | PALEACEUS | |
| CORTINARIUS | SEMISANGUINEUS | |
| CORTINARIUS | TRAGANUS | |
| CORTINARIUS | TRIUMPHANS | |
| CREPIDOTUS | APPLANATUS | |
| CYSTODERMA | AMIANTHINUM | |
| DAEDALEA | QUERCINA | |
| DAEDALEOPSIS | CONFRAGOSA | |

| | | |
|----------------------|--------------------|--|
| ENTOLOMA | NITIDUM | |
| ENTOLOMA | RHODOPOLIUM | |
| FISTULINA | HEPATICA | |
| FOMITOPSIS | PINICOLA | |
| GALERINA | MARGINATA | |
| GANODERMA | LIPSIENSE | |
| GANODERMA | LUCIDUM | |
| GEASTRUM | SESSILE | |
| GERRONEMA | CHRYSOPHYLLUM | |
| GLOEOPHYLLUM | SEPIARIUM | |
| GOMPHIDIUS | GLUTINOSUS | |
| GOMPHUS | CLAVATUS | |
| GRIFOLA | FRONDOSA | |
| GYMNOPIUS | LIQUIRTIAE | |
| GYMNOPIUS | PENETRANS | |
| HEBELOMA | RADICOSUM | |
| HEBELOMA | SINAPIZANS | |
| HEMIPHOLIOTA | POPULNEA | |
| HYDNUM | REPANDUM | |
| HYGROPHOROPSIS | AURANTIACA | |
| HYGROPHORUS | AGATHOSMUS | |
| HYGROPHORUS | PUDORINUS | |
| HYPHOLOMA | CAPNOIDES | |
| HYPHOLOMA | FASCICULARE | |
| HYPHOLOMA | MARGINATUM | |
| HYPOCREA | SCHWEINIZII | |
| INOCYBE | PUDICA | |
| INONOTUS | HISPIDUS | |
| ISCHNODERMA | BENZOINUM | |
| LACCARIA | AMETHYSTINA | |
| LACTARIUS | ALBOCARNEUS | |
| LACTARIUS | BERTILLONII | |
| LACTARIUS | BLENNIUS | |
| LACTARIUS | CAMPHORATUS | |
| LACTARIUS | DETRIMUS | |
| LACTARIUS | HELVUS | |
| LACTARIUS | INTERMEDIUS | |
| LACTARIUS | NECATOR | |
| LACTARIUS | PICINUS | |
| LACTARIUS | PYROGALUS | |
| LACTARIUS | ROSEOZONATUS | |
| LACTARIUS | RUFUS | |
| LACTARIUS | SALMONICOLOR | |
| LACTARIUS | TABIDUS | |
| LACTARIUS | TRIVIALIS | |
| LACTARIUS | VELLEREUS | |
| LACTARIUS | VIETUS | |
| LAETIPORUS | SULPHUREUS | |
| LANGERMANNIA | GIGANTEA | |
| LECCINUM | BRUNNEOGRISEOLUM | |
| LECCINUM | VERSIPELLE | |
| LENTINELLUS | COCHLEATUS | |
| LEUCOAGARICUS | CINERASCENS | |
| LEUCOAGARICUS | LEUCOTHITES | |
| LYCOGALA | EPIDENDRUM | |
| LYCOPERDON | PERLATUM | |
| LYCOPERDON | PIRIFORME | |
| LYOPHYLLUM | CONNATUM | |
| MACROLEPIOTA | EXCORIATA | |



| | | |
|---------------|----------------|--|
| MACROLEPIOTA | PROCERA | |
| MACROLEPIOTA | RHACODES | |
| MARASMIUS | ALLIACEUS | |
| MEGACOLLYBIA | PLATYPHYLLA | |
| MERIPILUS | GIGANTEUS | |
| MOLLISIA | CAESIA | |
| MYCENA | GALERICULATA | |
| MYCENA | INCLINATA | |
| MYCENA | ROSEA | |
| NOTHOPANUS | PORRIGENS | |
| NYCTALIS | PARASITICA | |
| OLIGOPORUS | PTYCHOGASTER | |
| OLIGOPORUS | STYPTICUS | |
| PAXILLUS | ATROTOMENTOSUS | |
| PAXILLUS | INVOLUTUS | |
| PHAEOLUS | SCHWEINITZII | |
| PHALLUS | IMPUDICUS | |
| PHELLODON | TOMENTOSUS | |
| PHOLIOTA | ASTRAGALINA | |
| PHOLIOTA | FLAMMANS | |
| PHOLIOTA | GUMMOSA | |
| PHOLIOTA | LENTA | |
| PHOLIOTA | LIMONELLA | |
| PHOLIOTA | SQUARROSA | |
| PIPTOPORUS | BETULINUS | |
| PLUTEUS | CERVINUS | |
| PSATHYRELLA | CANDOLLEANA | |
| PSEUDOHYDNUM | GELATINOSUM | |
| PYCNOPORELLUS | FULGENS | |
| RAMARIA | FLACCIDA | |
| RAMARIA | PALLIDA | |
| RHODOCYBE | GEMINA | |
| RUSSULA | ADUSTA | |
| RUSSULA | AERUGINEA | |
| RUSSULA | AQUOSA | |
| RUSSULA | BADIA | |
| RUSSULA | BETULARUM | |
| RUSSULA | CAVIPES | |
| RUSSULA | CYANOXANTHA | |
| RUSSULA | DECOLORANS | |
| RUSSULA | DENSIFOLIA | |
| RUSSULA | DRIMEIA | |
| RUSSULA | FAGETICOLA | |
| RUSSULA | FELLEA | |
| RUSSULA | FRAGILIS | |
| RUSSULA | LEPIDA | |
| RUSSULA | MUSTELINA | |
| RUSSULA | NIGRICANS | |
| RUSSULA | OCHROLEUCA | |
| RUSSULA | RISIGALLINA | |
| SCLERODERMA | CITRINUM | |
| SPARASSIS | BREVIPES | |
| SPARASSIS | CRISPA | |
| STEREUM | HIRSUTUM | |
| STROPHARIA | SQUAMOSA | |
| STROPHARIA | AERUGINOSA | |
| SUILLUS | BOVINUS | |
| SUILLUS | COLLINITUS | |
| SUILLUS | LUTEUS | |

| | | |
|----------------|-----------------|--|
| TRAMETES | VERSICOLOR | |
| TRICHOLOMA | BUFONIUM | |
| TRICHOLOMA | COLUMBETTA | |
| TRICHOLOMA | JOACHIMII | |
| TRICHOLOMA | PSEUDONICTITANS | |
| TRICHOLOMA | SAPONACEUM | |
| TRICHOLOMA | SCIODES | |
| TRICHOLOMA | SQUARRULOSUM | |
| TRICHOLOMA | VACCINUM | |
| TRICHOLOMA | VIRGATUM | |
| TRICHOLOMOPSIS | DECORA | |
| TRICHOLOMOPSIS | RUTILANS | |
| XEROCOMUS | BADIUS | |
| XEROCOMUS | PRUINATUS | |

